

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. Contract ID Code Firm-Fixed-Price		Page 1 Of 5	
2. Amendment/Modification No. P00001		3. Effective Date 2003MAY28		4. Requisition/Purchase Req No. SEE SCHEDULE		5. Project No. (If applicable)	
6. Issued By TACOM-ROCK ISLAND AMSTA-LC-CSC-B PHYLLIS LINGAFELTER (309)782-3625 ROCK ISLAND IL 61299-7630 EMAIL: LINGAFELTERP@RIA.ARMY.MIL		Code W52H09		7. Administered By (If other than Item 6) DCMA PHOENIX TWO RENAISSANCE SQUARE 40 NORTH CENTRAL AVE SUITE 400 PHOENIX AZ 85004-4400		Code S0302A	
				SCD A PAS NONE ADP PT HQ0339			
8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code) DILLON AERO, INC. 8009 EAST DILLONS WAY SCOTTSDALE, AZ. 852601809 TYPE BUSINESS: Other Small Business Performing in U.S.				<input type="checkbox"/>		9A. Amendment Of Solicitation No.	
				<input type="checkbox"/>		9B. Dated (See Item 11)	
				<input checked="" type="checkbox"/>		10A. Modification Of Contract/Order No. DAAE20-03-C-0099	
				<input type="checkbox"/>		10B. Dated (See Item 13) 2003MAY19	
Code IPN61		Facility Code					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning _____ copies of the amendments: (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. Accounting And Appropriation Data (If required) NO CHANGE TO OBLIGATION DATA							
13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS							
KIND MOD CODE: C It Modifies The Contract/Order No. As Described In Item 14.							
<input type="checkbox"/>		A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.				The Changes Set Forth In Item 14 Are Made In	
<input type="checkbox"/>		B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).					
<input checked="" type="checkbox"/>		C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: FAR 43.103(a)					
<input type="checkbox"/>		D. Other (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return _____ copies to the Issuing Office.							
14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)							
SEE SECOND PAGE FOR DESCRIPTION							
Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. Name And Title Of Signer (Type or print)				16A. Name And Title Of Contracting Officer (Type or print) ADELAIDE J TKATCH TKATCHA@RIA.ARMY.MIL (309)782-5313			
15B. Contractor/Offeror _____ (Signature of person authorized to sign)		15C. Date Signed		16B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)		16C. Date Signed 2003MAY28	
NSN 7540-01-152-8070 PREVIOUS EDITIONS UNUSABLE				30-105-02		STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243	

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 2 of 5
	PIIN/SIIN DAAE20-03-C-0099	MOD/AMD P00001	

Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION
THE PURPOSE OF THIS MODIFICATION IS AS FOLLOWS:

- 1. ADD PACKING CLAUSE AND ATTACHMENTS
- 2. ADD ACCOUNTABILITY INSTRUCTIONS
- 3. ADD HAZARDOUS COMPONENT SAFETY DATA STATEMENT FOR M60
- 4. ADD HAZARDOUS COMPONENT SAFETY DATA STATEMENT FOR M80
- 5. ADD SECURITY STATEMENT OF WORK (SOW)
- 6. ADD NOTICE OF REVISION (NOR) L2F3003
- 7. ADD DOCUMENT SUMMARY LIST
- 8. ADD CONTRACT DATA REQUIREMENTS LIST (CDRL/DD FORM 1423)

AS A RESULT OF THESE ADDITIONS, CONTRACTOR IS REQUIRED TO SIGN AND RETURN ONE (1) COPY OF THIS DOCUMENT.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.

*** END OF NARRATIVE A 002 ***

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center"> PIIN/SIIN DAAE20-03-C-0099 MOD/AMD P00001 </p>	<p align="center">Page 3 of 5</p>
---	---	---

Name of Offeror or Contractor:

SECTION D - PACKAGING AND MARKING

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
D-1 CHANGED 52.211-4501 TACOM-RI		PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	APR/2003

a. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 Dec 99 including Notice 1, dated 10 May 02 and the Special Packaging Instruction contained in the TDP.

Preservation: MILITARY
 Level of Packing: B
 Quantity Per Unit Package: 001
 SPI Number: 65F9877, REV F, DATED 23JUL1965

b. Unitization Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

c. Marking: In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Date 15 Dec 02 including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

Contractors and vendors shall apply address markings using a bar coded military shipment label (MSL)for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).

Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

Military Shipping Label. The Army has developed software to create Military Shipment Labels. It's called Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD) and is available to anyone with a contract with the government. The software can be downloaded from the following website main page: <http://www.asset-trak.com/catt/catt.htm>. Or go directly to the software download page http://www.asset-trak.com/catt/msl_irrd/msl_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.

d. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. . Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

e. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions in paragraph e below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor notifies the Administrative Contracting Officer 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the Contracting Officer and the Administrative Contracting Officer. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

f. SUPPLEMENTAL INSTRUCTIONS: THE SOFTWARE FOR DEVELOPMENT OF THE MSL IS CALLED DS2T. THE SOFTWARE CAN BE DOWNLOADED FROM

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 4 of 5
	PIIN/SIIN DAAE20-03-C-0099	MOD/AMD P00001	

Name of Offeror or Contractor:

HTTP://ASSET-TRAK.COM/DS2T/DS2T.HTM. ONCE AT THE WEBSITE, GO TO THE DS2T SUSTAINMENT COLUMN AND DOUBLE CLICK ON THE "SEE THE CATT TOOLS" LINK. A LASER PRINTER CAN BE USED TO PRINT THE MSL AND THE ASSOCIATED 2D SYMBOL. THE PROGRAM ONLY PRINTS THE LINEAR BAR CODE IF THE FONTS ARE INSTALLED. IN ORDER TO INSTALL THE FONTS GO TO START ON YOUR WINDOWS MENU; THEN GO TO "SETTINGS", THE "CONTROL PANEL", CLICK ON "FONTS", SELECT "FILE" FROM TOP LEFT DROP DOWN MENU, SELECT "INSTALL NEW FONT", USE DROP DOWN MENU (LEFT BOX) TO FIND CATT PROGRAM, SELECT (DOUBLE CLICK) THE "CATT" PROGRAM, (A SELECTION OF FONTS SHOULD APPEAR), DOUBLE CLICK ON "SELECT ALL", ONCE THE FONTS ARE SELECTED DOUBLE CLICK THE "OK" BUTTON. FOLLOW PROMPTS TO ACCEPT FONTS. THE FONTS WILL THEN BE COPIED TO THE CATT PROGRAM. ONCE THEY ARE COPIED RETURN TO THE PROGRAM. THE LINEAR BAR CODES SHOULD APPEAR ON YOUR SCREEN AND SHOULD ALSO PRINT OUT IN THE APPROPRIATE POSITIONS.

(End of clause)

(DS6415)

Name of Offeror or Contractor:

SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Exhibit A	CONTRACT DATA REQUIREMENT LIST (CDRL/DD FORM 1423)	04-JUN-2002	004	
Attachment 001	ACCOUNTABILITY INSTRUCTIONS M2 .50 CAL MACHINE GUN		003	
Attachment 002	SECURITY STATEMENT OF WORK (SOW)		003	
Attachment 003	HAZARDOUS COMPONENT SAFETY DATA STATEMENT FOR M60	20-JUN-1985	003	
Attachment 004	HAZARDOUS COMPONENT SAFETY DATA STATEMENT FOR M80	04-NOV-1998	005	
Attachment 005	NOTICE OF REVISION (NOR) L2F3003	08-AUG-2002	023	
Attachment 006	DOCUMENT SUMMARY LIST		002	
Attachment 007	PACKAGING DATA SHEET WITH DRAWINGS		012	